



FREEDOMATLANTIC

PRODUCT CATALOG 2025



OTTO HEADSET

PTT MODULE

FREEDOM ATLANTIC
163 PD CABLE

OTTO MULTI PORT
PTT HUB

WEDGEX

FREEDOMATLANTIC

Apollo UAV Fin High Gain Omni Antenna



S-Band Antenna



L-Band Antenna

DESCRIPTION

Freedom Atlantic's Apollo UAV FIN Omni Antennas are designed for use on unmanned aerial vehicles in particular carbon fiber platforms where antenna power can be lost due to the carbon absorption properties. Additional uses include covert or discreet platforms where Flexible Fabric antenna may not be suitable. The antenna is constructed from Glass Reinforced Plastic (GRP) encapsulated in plastic which is extremely rugged and lightweight.

Part Number

S-Band: FA-APOLLO-SBAND-1

L-Band: FA-APOLLO-LBAND-1

C-Band: FA-APOLLO-CBAND-1

Export Classification

EAR99

CONFIGURATION OVERVIEW



Air Ordinance



UAV's



Ground Vehicle



Watercraft

SPECIFICATIONS

Frequency Range

S-Band: 2200-2507MHz
L-Band: 1350-1390MHz
C-Band (L): 4400-5000MHz
C-Band (U): 5100-6000MHz

Pattern

Omni-directional

Azimuth Beamwidth

360 Nominal

Gain



L/S Band 2dbi (3dbi) peak gain
C band 3dbi (4dbi) peak gain

VSWR

S-Band: 1.5:1 L-Band: <1.5:1

TOTAL GAIN

(db)



EUD ADAPTERS

Polarization Form

Linear Vertical

Mechanical Form

GRP Plastic encapsulated

Color

Black

RF Connector

SMA: Female Straight

Mounting

4x 3.2mm circular holes

Size & Weight

60x70x40mm 40g

RF Power Handling

5w

FREEDOMATLANTIC Ethernet Adapter Cable




DESCRIPTION

The Freedom Atlantic USB-C to Ethernet cable provides a rugged and secure connection from Ethernet devices to the USB-C port on an android EUD.

Part Number
Export Classification

S.PCR51.RJ45M.ETH1.18
EAR99

CONFIGURATION OVERVIEW



SPECIFICATIONS



CUSTOMIZABLE LENGTHS

KEY FEATURES

- USB-C to Ethernet Protocol Translation.
- EMI reinforced protection.
- Customizable ends for your unique application.
- Utilize the RJ45 connection to connect to any Ethernet device with a RJ45 port.
- Overmold design provides dependable ruggedness in any environment to accomplish the mission.
- Utilize the RJ45 connection to connect to any Ethernet device with a RJ45 port.
- Made in the USA with a guarantee of no spyware!

FREEDOMATLANTIC

S1 CABLE

MADE FOR THE MPU5 PTT USB PORT




DESCRIPTION

Connect any USB Type-C EUD direct to the MPU5 PTT for full functionality.

Part Number
Export Classification

S.PCR56.P012BL.23
EAR99

CONFIGURATION OVERVIEW



SPECIFICATIONS



CUSTOMIZABLE LENGTHS

KEY FEATURES

- Cable puts phone in peripheral mode up to 500mA from the PS PTT.
- New ODU Twist Lock connector to PTT.
- Flex Overmolded ends.
- Specifically made for TE Phones.

EUD ADAPTERS

Juggernaut™ IMPCT
Samsung Galaxy S20



Juggernaut™ OPRTR
Samsung Galaxy S23
or Xcover Pro6



FREEDOM ATLANTIC

S2 Cable

MADE FOR THE MPU5 PTT USB PORT



DESCRIPTION

These two variants of cables allow for users to seamlessly integrate the MPU5 with existing EUDs in order to get full COT data on the EUD. The MPU5 PTT S2 cable connects directly to the existing MPU5 PTT USB port. The cable allows both the EUD and the MPU5 to act as a HOST device with full COT data control.

Part Number

S.P012BL.PCR.ETH2.18

Export Classification


ECCN 3A611.X

KEY FEATURES

- Sends full COT USB data to the EUD, as opposed to other cables that send partial data.
- Uses existing system to provide compatibility with Nett Warrior architecture, allowing both the radio and the EUD to be a host and still communicate.

CONFIGURATION OVERVIEW

MPU5 PTT S2 Cable



SPECIFICATIONS



CUSTOMIZABLE LENGTHS



FREEDOM ATLANTIC


EUD Power & Data PD Cable



DESCRIPTION

Modular and adaptable, Freedom Atlantic's universal PD cable is designed for use with a hub and radio. Featuring the industry's most robust strain relief overmold/conduit design and maximum EMI shielding, it's purpose-built to meet the needs of today's warfighter, ensuring a reliable connection without fail.

CONFIGURATION OVERVIEW



SPECIFICATIONS



CUSTOMIZABLE LENGTHS

Part Number
Export Classification

S.PCR.PN6C.12.PD1500
ECCN 3A611.X

KEY FEATURES

- Optional configuration of type C interface between 100mA to 2A power output.
- Adjust charge rates real-time using PD protocol messaging.
- Real time power role swapping.
- Reconfigurable USB Type C interface: swap between host and peripheral modes.

EUD ADAPTERS


Juggernaut™ IMPCT
Samsung Galaxy S20

Juggernaut™ OPRTR
Samsung Galaxy S23
or Xcover Pro6



FREEDOMATLANTIC

Juggernaut™ OPRTR Case Adapter



DESCRIPTION

The Freedom Atlantic Juggernaut™ OPRTR Adapter is engineered for unwavering performance in the most demanding environments. Built to withstand the harshest conditions, this rugged adapter ensures your connections stay secure, even when the pressure is on. Whether you're in the field or on the move, trust the Juggernaut™ OPRTR Adapter to lock in your cables and keep your mission-critical gear running smoothly.

Part Number
Export Classification

FA.JUGG.OPRTR-BLK
EAR99

KEY FEATURES

- **Universal Cable Compatibility:** Locks in any Freedom Atlantic 90-degree right angle Type C cable, including the USB-C to PRC-163 ODU 12-Pin PD Cable.
- **Rugged Durability:** Constructed with tough materials to withstand harsh environments and prevent accidental cable detachment.
- **IP68 Water Resistance:** Gasket-sealed connection offers complete protection against dust and water ingress.
- **Quick-Release Latch:** Secure and efficient removal mechanism for rapid transitions in high-pressure situations.

COMPATIBLE CASES

Compatible with all OPRTR cases including Samsung Galaxy S23 or Xcover Pro6

Juggernaut™ IMPCT
Samsung Galaxy S20



FREEDOMATLANTIC


USB-C to PRC-163 ODU 12-Pin PD Cable



DESCRIPTION

Designed to run in a slick configuration, this cable runs from any Type-C EUD directly to the top or the side of a PRC-163. Set to maximize runtime, this cable will efficiently and effectively maintain a data connection between a PRC-163 and TE EUD using proprietary power management electronics. Allows ATAK users to run EKDU to allow full control of the 163.

CONFIGURATION OVERVIEW



SPECIFICATIONS



CUSTOMIZABLE LENGTHS

Part Number
Export Classification

S.PCR.P012A.30.PD-FER1
ECCN 3A611.X

KEY FEATURES

- Optional configuration of type C interface between 100mA to 2A power output.
- Adjust charge rates real-time using PD protocol messaging.
- Real time power role swapping.
- Reconfigurable USB Type C interface: swap between host and peripheral modes.

EUD ADAPTERS

Juggernaut™ IMPCT
Samsung Galaxy S20

Juggernaut™ OPRTR
Samsung Galaxy S23
or Xcover Pro6



FREEDOM ATLANTIC

MPU5 ECHO - Enhanced Communications (for) Hands-Free Operations



DESCRIPTION

Wirelessly connect your MPU5 to an over-the-glove PTT in order to provide maximum flexibility without the bulk. PTT options include standard Bluetooth for training and wired operations for secure operations.

Part Number

FA-MPU5-ECHO-BT

Export Classification


EAR99

KEY FEATURES

- Single channel wireless remote PTT.
- Low profile PTT button allows users to key their radio while maintaining positive control on parachute toggles.
- Designed to install over-the-top of existing operator gloves.
- 2 Versions: Bluetooth or wired.

CONFIGURATION OVERVIEW

SPECIFICATIONS



FREEDOM ATLANTIC

STUB SBNVG Battery Adapter




DESCRIPTION

The STUB SBNVG Battery Adapter provides an interface for the new universal STUB battery platform into both the SBNVG's as well as an additional USB port that can be used for powering alternative USB devices or for charging the entire system. This product is compatible with most NVG variants. For specific inquiries, feel free to contact us.

Part Number
Export Classification

FA-STUB-KIT-1
EAR99

SPECIFICATIONS



2.25 in x 2.0 in

*Battery NOT included

KEY FEATURES

- The Twist Lock mechanism flips out for easy battery attachment or detachment and secures back down to lock firmly in place in one-handed operation.
- Additional USB port for sending or receiving power.
- Fits recommended STUB BB-2511 and BB-2512 cells.
- On/off button to prevent slow discharge of STUB cell when not in use.
- Universal Mounting kit allows for Velcro and/or rail attachment for universal fitment on Standard Issued Helmets (Gentex High Cut/Ceradyne for USMC plus others).

CONFIGURATION OVERVIEW



FREEDOMATLANTIC

ENVG-B Controller & Hub



DESCRIPTION

The Freedom Atlantic 4-Button USB controller is designed to control the ENVG-B platform while attached to the Nett Warrior DOCK-Lite. The controller has a USB 2.0 peripheral interface allowing additional accessories to be connected to the DOCK-Lite system. The peripheral interface sources 5V up to 3A of power.


Part Number

(Standard Controller Only)
FA-4BTN-V1

Export Classification

ECCN 3A611.X

CONFIGURATION OVERVIEW



CONFIGURATION OVERVIEW



KEY FEATURES

- 4 USB momentary press buttons send commands to DOCK-L for ENVG-B control.
- USB 2.0 peripheral port for downstream USB devices.
- Sources power up to 5V 3A.
- USB cable retainer supports both 90° and 0° cable connectors.
- USB 2.0 peripheral port cable retainers maintains connector head pressure ensuring water proofed seal for connected devices.
- Press buttons can be used for alternative commands on the EUD

WEDGEX



FREEDOM ATLANTIC



OTTO

WEDGEX



**SIDELINK
RADIO
ADAPTER**

**SIDELINK
WEDGE
ADAPTER**

A COLLABORATION BETWEEN FREEDOM ATLANTIC & OTTO ENGINEERING, THE WEDGEX PROVIDES EFFICIENT, NEXT-GEN POWER/DATA DISTRIBUTION AND MANAGEMENT BY STREAMLINING LEGACY RADIO CONFIGURATIONS. EXISTING KIT SOLUTIONS ARE LIMITED. DUAL RADIO CONFIGURATIONS RELY ON HUB-AND-SPOKE TOPOLOGY REQUIRING COSTLY HUBS AND CABLES TO DISTRIBUTE POWER AND DATA. WITH ITS DUAL INPUT/OUTPUT PORTS, THE WEDGEX CAN CONNECT DIRECTLY TO EXTERNAL BATTERY POWER, DAISY CHAIN TO OTHER RADIOS, CONNECT TO POWER/DATA HUBS, OR DIRECTLY TO EUDS. THE ALL-NEW WEDGEX ELIMINATES DEVICES AND CABLES, WHICH MEANS LESS COST, LESS WEIGHT, AND LESS POWER CONSUMPTION.

FREEDOM ATLANTIC Reseller Brands



OTTO

 MatrixSpace



EMAIL:

Info@Freedom-Atlantic.com

WEBSITE:

www.Freedom-Atlantic.com

ADDRESS:

3960 Kropf Ave SW, Canton, OH 44706

NUMBER:

517.300.2760

MERCH:

www.Freedom-Atlantic.com/Merch/

**SOCIAL
MEDIA**

@FREEDOM.ATLANTIC



@FREEDOMATLANTIC

